








Bath thermostat for wall mounting with hand shower set

34 234 979



- 210 mm projection
 - complete hand shower set: normal flow
 - spout: circular, air-enriched flow
 - complete hand shower set with anti-scale system
 - rotary diverter with volume control and shut-off function
 - slide-on rosettes Ø 60 mm
 - 1/2" connection
 - gauge 150 mm - 15 mm
 - metal shower hose 1250mm with integrated anti-twist protection
 - shower holder rosette Ø 57mm
 - max. flow 16.9 l/min at 3 bar flow pressure
 - max. flow for complete hand shower set 6.8 l/min
- Intrinsic protection against back flow.**

Intrinsic protection against back flow.

	Chrome	34 234 979-00
	Brushed Platinum	34 234 979-06
	Dark Chrome	34 234 979-19
	Matte Black	34 234 979-33
	Brushed Champagne (22kt Gold)	34 234 979-46
	Champagne (22kt Gold)	34 234 979-47
	Brushed Chrome	34 234 979-93

Required miscellaneous




- Concealed adapter** 35 080 970-90
- please order two adapters (USA only) 0010


Bath thermostat for wall mounting with hand shower set

34 234 979

mm [inches]




Flow rate chart



Bath thermostat for wall mounting with hand shower set

34 234 979



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	34 201 979-00	Bath thermostat for wall mounting without shower set	1	10
2	28 050 920-00	holder	1	60
3	90 30 02 072 00-00	Metal shower hose 1/2" x 3/8" x 1250 mm	1	10
4	28 019 979-00	Hand shower	1	2