


Concealed ceiling installation box for recessed ceiling installation with light

35 044 970




- concealed rough parts
- 2x female thread 1/2" connections
- flush-mounted installation box 360x 300 mm RAL 9003 signal white
- Supply pipe 7 m
- Input 100-240V AC 50-60Hz
- Output 12V DC SELV / Class II
- ZigBee Light Link RGBW controller

To be provided by the customer. Zigbee Gateway!


Concealed ceiling installation box for recessed ceiling installation with light

35 044 970



Concealed ceiling installation box for recessed ceiling installation with light

35 044 970



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 24 03 306 00 90	connection	2	2
2	04 30 35 008 00 90	fixing set	1	2
3	90 10 01 212 00 90	electronic accessories	1	2
4	90 10 01 214 00 90	electronic accessories	1	2
5	90 10 01 211 00 90	electronic accessories	2	2
6	04 30 04 097 00 90	hose	2	60
7	90 30 01 216 10 90	Venting service kit	1	2
8	09 31 20 042 90	plug	2	2
9	90 10 01 228 00 90	electronic accessories	1	2
10	90 10 01 229 00 90	electronic accessories	1	2
11	90 14 03 189 00 90	plug	1	2
12	90 30 01 215 01 90	fixing set	2	2
13	90 30 01 215 00 90	fixing set	2	2