

Wall-mounted basin mixer








36 712 811



- 190 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 37 mm
- hole diameter spout 37 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free

NOTE: The handle inserts must be ordered separately from the fittings!

NOTE: The handle inserts must be ordered separately from the fittings!


	Chrome	36 712 811-00
	Brushed Platinum	36 712 811-06
	Dark Chrome	36 712 811-19
	Brushed Durabronze (23kt Gold)	36 712 811-28
	Platinum / Brushed Platinum	36 712 811-36
	Durabronze / Brushed Durabronze (23kt Gold)	36 712 811-38
	Brushed Dark Platinum	36 712 811-99

Required miscellaneous



- Concealed wall-mounted mixer
Centred spout** 35 700 970-90
0010
- min. recess depth 93 mm
 - max. recess depth 115 mm

Required miscellaneous




- Concealed wall-mounted mixer
variable positioning** 35 720 970-90
0010
- min. recess depth 85 mm
 - max. recess depth 145 mm


Wall-mounted basin mixer

36 712 811

mm [inches]




Flow rate chart



Wall-mounted basin mixer

36 712 811



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	13 805 811-00	Wall-mounted basin spout without pop-up waste	1	10
2	90 18 40 290 00-00	handle	1	10
3	90 90 03 171 01 90	top	1	2