

eSET Touchfree Basin mixer without temperature setting

#Error



- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

 Cannot be combined with basins in conducting materials (e.g. steel. river stone). Cannot be combined with basins that have a closing drain.
 ATTENTION: Separate terms and conditions for electronic articles are applicable.

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Cannot be combined with basins that have a closing

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Required miscellaneous



eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings

•min. recess depth 90 mm •max. recess depth 125 mm

Recommended miscellaneous

Extension for Touchfree 500 mm

12 765 970 90

35 743 970-90

0010

Required miscellaneous



eSET Touchfree Basin mixer without temperature setting for combining with free-standing

35 742 970-90


0010




eSET Touchfree Basin mixer without temperature setting

#Error

mm [inches]








eSET Touchfree Basin mixer without temperature setting

#Error



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 10 01 177 00 90	electronic accessories	1	2
2	90 17 20 199 00 90	holder	1	2
3	04 30 50 079 00 90	valve	1	2
4	04 10 01 246 00 90	electronic accessories	1	2
5	04 30 31 024 01 90	fixing set	1	2