4131 - 'Monarque' Single Lever Mixer With Hand Spray				
			Part#	Description
			29Rubber O-Ring30Flexible Supply Hoses31Rubber/Fiber Washer32Back Flow Preventer39Vinyl Hose46Mounting Plate47Threaded Stem48Brass Nut49+50Metal Ring & Washer51Hand Spray Elsow53Rubber O-Ring54Hand Spray Coupler55Hand Spray Handle56Threaded Stem57Rubber O-Ring58Hand Spray Button59Hand Spray Head60Rubber O-Rings61Rubber O-Rings62Aerator Cover Ring63Aerator Screw64Plastic Aerator Rings65Brass Insert66Metal Spring	
Technical Information	Part#	Description		Brass Cylinder
 Technical Information Faucet Body Requires 1 3/4" Hole Drilling Flow Rate Is 2.2 GPM If Counter Is Thicker Than 1 ³/₄", Part #24 (Threaded Stem) Must be Special Ordered in a Longer Length. 3/8" Flexible Hose Connections Available finishes are Polished Chrome(48), Solibrass(49), Polished Brass(55), Polished Nickel(56), Brushed Nickel(57), Polished Copper & Brass(58), Weathered Copper & Brass(59), Satin Nickel(60), Weathered Brass(70) Please See Cleaning Instructions for Finish Care and Maintenance Information Faucet Ships With Wooden Handles (63). Specify (20) For Ceramic Handles 	Part# 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21+25-28 22 23 24	Description Top Knob Finished Washer Spout 7 ¼" Spout Washer Aerator Filter Aerator Cover Sealing Screw Rubber O-Rings Upper Body Main Body Ceramic Cartridge Cartridge Nut Handle Base Round Screw Handle Finished Washer Finished Screw Threaded Stem Male/Male Adapter Swan Nut Adapter Inner Body & Supply Lines Deck Escutcheon Rubber Washer Threaded Stem	66 67 68 69 70 71 72 91 92	Metal Spring

Copyright©2009 Herbeau Creations. All rights reserved. All products and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and / or dimensional errors. Typographical errors are subject to correction.

<u>Please follow example when ordering parts for 'Monarque' Single Lever</u> <u>Mixer</u>

• To order part #3 – **SPOUT**

。 <u>9413103 xx</u>

- Please substitute finish number needed in place of XX.
- To order a part that is not finished use **<u>00</u>**



