

Brockway™ | K-3203

60" wall-mount utility sink

Features

- KOHLER® plumbing products combine beautiful form and reliable function
- Drilled for three K-730T70 Triton® Bowe® Cannock™ faucets and two K-8880 soap dishes
- Sink exterior is an unpainted, ground-coat surface. Submitted pictures are customer photos that may reflect an alteration to the exterior, such as painting or refinishing, and may no longer reflect the raw elements of the cast iron material as purchased



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

■ 0 White



Codes/Standards

ASME A112.19.1/CSA B45.2

Technical Information

Number of Deck Holes:	6
Faucet Hole(s) Size:	1-1/2" (38 mm)
Center(s):	8" (203 mm)
Soap/Lotion Hole Size:	5/16" (8 mm)
Drain Hole Diameter:	2-1/8" (54 mm)
Minimum Base Cabinet Width:	19" (483 mm)
Basin Configuration:	Single Bowl

Material

- KOHLER® enameled cast iron
 - Acid-resistant enamel finish
-

Recommended Products/Accessories

K-23726 Drain treatment

K-8820 Brass sink strainer for 2" outlets

K-8880 Soap dish

K-23725 Cast iron cleaner

K-730T70-4AJR Wall-mount lavatory faucet, 1.2 gpm

K-730T70-4AR Wall-mount service sink faucet, 12 gpm


Warranty

See website for detailed warranty information.

KOHLER® Enameled Cast Iron Kitchen and Bathroom Sink Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
4-15-2026 5:18 - US-CA



Installation Notes

Install this product according to the installation instructions.

