



# Highline® Classic | K-4645-TR

Toilet tank, 1.6 gpf

## Features

- 1.6 gpf (6.0 lpf)
- Combine with K-4304 or K-4304-L to create K-3493-TR Highline Pressure-Lite™ toilet with tank cover locks and right-hand trip lever



## Available Colors/Finishes

*Color tiles intended for reference only.*

■ 0 White



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

4-15-2026 3:27 - US-CA

THE BOLD LOOK  
OF **KOHLER**®

## Codes/Standards

*Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.*

ASME A112.19.2/CSA B45.1

---

## Technical Information

Flush Type: Pressure Lite

Flush Rate: 1.6 gpf (6 lpf)

---

## Recommended Products/Accessories

K-4304 Elongated toilet bowl

K-4304-L Elongated toilet bowl with bedpan lugs

---

## Warranty

*See website for detailed warranty information.*

KOHLER® One-Year Limited Warranty



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

4-15-2026 3:27 - US-CA

---

## Installation Notes

*Install this product according to the installation instructions.*

Product dimensions are nominal and may vary per ASME A112.19.2 tolerances.

