



# Glenbury™ | K-4733-RL

ReadyLatch® Quiet-Close™ elongated toilet seat











## Features

- Grip-Tight installation hardware makes it easy to fasten the seat – everything is done from above the bowl
- ReadyLatch® hinge provides a positive lock/unlock latch to securely hold seat in position, yet seat easily removes for cleaning or adjusting fit
- Quiet-Close™ elongated lid and seat prevents slamming
- Grip-Tight bumpers hold seat firmly in place
- Contoured seat for user comfort
- Color-matched plastic hinges
- Fits most elongated toilets



## Available Colors/Finishes

*Color tiles intended for reference only.*

- |   |    |              |
|---|----|--------------|
|  | 0  | White        |
|  | 96 | Biscuit      |
|  | 47 | Almond       |
|  | 95 | Ice Grey     |
|  | G9 | Sandbar      |
|  | K4 | Cashmere     |
|  | 58 | Thunder Grey |
|  | 7  | Black Black  |
|  | 17 | Teal         |
|  | 42 | Aspen Green  |



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

4-15-2026 6:28 - US-CA

THE BOLD LOOK  
OF **KOHLER**

---

## Codes/Standards

*Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.*

IAPMO/ANSI Z124.5

---

## Technical Information

*All product dimensions are nominal.*

Seat Shape Type:	Elongated
Seat Front Type:	Closed-front
Seat-Mounting Holes:	5-1/2" (140 mm)

---

## Material


- Plastic construction
- 

## Warranty

*See website for detailed warranty information.*

KOHLER® Toilets and Seats Limited Warranty





### Installation Notes

*Install this product according to the installation instructions.*

