

## K-5381

14" rough-in full skirt trap and attachment system

### Features

- Converts standard 12" (305 mm) rough-in products to 14" (356 mm) configuration
- Plastic trapway



### Available Colors/Finishes

*Color tiles intended for reference only.*

<sup>NA</sup> NA Not Applicable



## Codes/Standards

ASME A112.19.2/CSA B45.1

## Recommended Products/Accessories

- K-31677 ContinuousClean XT tall two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-33813-RA Tall two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-33814 Tall ContinuousClean two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-3814 Two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-3814-RA Two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-3981 One-piece compact elongated toilet with skirted trapway, 1.28 gpf
- K-5709 ContinuousClean XT two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-5310 Two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-5310-RA Two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-20197 Two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-20197-RA Two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-20198 ContinuousClean XT two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-31697 ContinuousClean two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-78080 One-piece compact elongated toilet with skirted trapway, 1.28 gpf
- K-78080-RA One-piece compact elongated toilet with skirted trapway, 1.28 gpf
- K-6428 One-piece compact elongated toilet with skirted trapway, 1.28 gpf
- K-31674 The Complete Solution® two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-45927 The Complete Solution® two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-46018 The Complete Solution® ContinuousClean ST two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-28161 Two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-28161-RA Two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-20450 Two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-20450-RA Two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-31682 ContinuousClean two-piece elongated toilet with skirted trapway, 1.28 gpf
- K-90097 ContinuousClean two-piece elongated toilet with skirted trapway, 1.28 gpf




## Warranty

*See website for detailed warranty information.*

KOHLER® One-Year Limited Warranty



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
4-15-2026 4:34 - US-CA



## Installation

- 14" (356 mm) rough-in

## Installation Notes

*Install this product according to the installation instructions.*

