



Clearflo | K-7214

Cable bath drain, less PVC tubing

Features

- For baths 14" – 21" (356 – 533 mm) deep from center of bath overflow outlet to center of bath drain outlet
- External 27" (686 mm) length cable
- No internal linkages, reducing the potential for clogging
- PVC tubing sold separately



Available Colors/Finishes

Color tiles intended for reference only.

- CP Polished Chrome
- SN Vibrant Polished Nickel
- AF Vibrant French Gold
- PGD Vibrant Moderne Polished Gold
- BGD Vibrant Moderne Brushed Gold
- BN Vibrant Brushed Nickel
- BV Vibrant Brushed Bronze
- BRZ Oil-Rubbed Bronze
- BL Matte Black
- 2MB Vibrant Brushed Moderne Brass
- TT Vibrant Titanium



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
4-15-2026 4:13 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.18.2/CSA B125.2

Material

- Metal construction control handle and stopper
-

Recommended Products/Accessories

K-23726 Drain treatment


K-23723 Faucet cleaner

Warranty

See website for detailed warranty information.

KOHLER® One-Year Limited Warranty





Installation

- Adjustable rotating connection for easy installation

Installation Notes

Install this product according to the installation instructions.

The combined length of the vertical and horizontal tubing after being cut for the bath installation must be equal to or less than 25" (635 mm).

