



# Awaken® G90 | K-72417

Single-function showerhead, 1.75 gpm

## Features

- Showerhead features contemporary design
- 1.75 gpm (6.6 lpm) showerhead flow rate
- Spray nozzles cover full area of 3-9/16" (90 mm) sprayhead
- Full coverage spray produces an encompassing spray ideal for everyday use
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup and maximizes spray performance
- This product can help a building earn Water Efficiency points in LEED® Green Building Rating System



## Sustainability



## Available Colors/Finishes

*Color tiles intended for reference only.*

- CP Polished Chrome
- SN Vibrant Polished Nickel
- BN Vibrant Brushed Nickel
- BL Matte Black
- 2MB Vibrant Brushed Moderne Brass



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
4-15-2026 3:43 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards



ASME A112.18.1/CSA B125.1  
DOE - Energy Policy Act 1992  
EPA WaterSense<sup>®</sup>  
California Energy Commission (CEC)

---

## Technical Information

*All product dimensions are nominal.*

### Flow Rate

Shower/Rainhead Rated                      1.75 gpm (6.6 l/min)  
Maximum Flow:

---

## Material

- KOHLER finishes resist corrosion and tarnishing
- 

## Recommended Products/Accessories

K-7395 Shower arm and flange, 5-3/8" long

K-7397 Shower arm and flange, 7-1/2" long

K-23723 Faucet cleaner


---

## Warranty

*See website for detailed warranty information.*

KOHLER<sup>®</sup> Faucet Lifetime Limited Warranty





## Installation

- Shower arm and flange sold separately
- Wall-mount
- 1/2" -14 NPT connection

## Installation Notes

*Install this product according to the installation instructions.*

