



# Archer® | K-9394

48" x 48" alcove shower base, center drain

## Features

- Low-threshold design for easy entry and exit
- Covered drain with removable cover
- Single threshold for alcove installation
- Coordinates with other products in the Archer collection



## Available Colors/Finishes

*Color tiles intended for reference only.*

- 0 White
- 96 Biscuit
- NY Dune
- 95 Ice Grey



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
4-15-2026 4:19 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

CSA B45.5/IAPMO Z124  
 ASTM E162  
 ASTM E662

## Warranty

See website for detailed warranty information.

KOHLER® Plastic Baths and Shower Bases Lifetime Limited Warranty

## Technical Information

All product dimensions are nominal.

Drain Location:	Center
Drain Hole Diameter:	3-3/8" (86 mm)
Shower Ledge Minimum Flat:	2-5/8" (66 mm)
Minimum Floor Load:	20 lbs/ft <sup>2</sup>
Weight:	54 lbs (24.5 kg)

## Material

- Acrylic

## Recommended Products/Accessories

K-23726 Drain treatment

K-23732 Tub & shower cleaner

K-9132 Round shower drain for use with plastic pipe, gasket included

K-706008-D3 Sliding shower door, 74" H x 43-5/8 - 47-5/8" W, with 1/4" thick Frosted glass

K-706008-L Sliding shower door, 74" H x 43-5/8 - 47-5/8" W, with 1/4" thick Crystal Clear glass

K-706010-L Sliding shower door, 74" H x 44-5/8 - 47-5/8" W, with 3/8" thick Crystal Clear glass and blade handles

K-706011-L Sliding shower door, 82" H x 44-5/8 - 47-5/8" W, with 3/8" thick Crystal Clear glass

K-706014-D3 Sliding shower door, 74" H x 44-5/8 - 47-5/8" W, with 1/4" thick Frosted glass

K-706014-L Sliding shower door, 74" H x 44-5/8 - 47-5/8" W, with 1/4" thick Crystal Clear glass


K-706016-L Sliding shower door, 74" H x 44-5/8 - 47-5/8" W, with 3/8" thick Crystal Clear glass and square towel bar

K-706017-L Sliding shower door, 82" H x 44-5/8 - 47-5/8" W, with 3/8" thick Crystal Clear glass



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications. For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada. 4-15-2026 4:19 - US-CA



## Installation

- Center drain

## Installation Notes

*Install this product according to the installation instructions.*

Measure your actual product for rough-in details.

Shimming may be required to level the fixture.

Shimming may be required between the stud frame and the fixture.

Stud opening tolerance is + 1/4" (6 mm), - 0" (0 mm).

