

Tone™ | K-T27424-4

Floor-mount bath filler trim with handshower

Features

- A single handle controls both on/off activation and temperature setting
- 7.5 gpm (28.4 lpm) maximum bath faucet flow rate at 45 psi (3.1 bar)
- 1.75 gpm (6.6 lpm) maximum handshower flow rate at 80 psi (5.5 bar)
- KOHLER® ceramic disc valves exceed industry longevity standards for a lifetime of durable performance
- Coordinates with other products in the Tone collection



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

- CP Polished Chrome
- BN Vibrant Brushed Nickel
- BL Matte Black
- 2MB Vibrant Brushed Moderne Brass
- BMB Matte Black with Brushed Moderne Brass



Codes/Standards



ASME A112.18.1/CSA B125.1
DOE - Energy Policy Act 1992
EPA WaterSense®
California Energy Commission (CEC)

Warranty

See website for detailed warranty information.

KOHLER® Faucet Lifetime Limited Warranty

Technical Information

All product dimensions are nominal.

Handle

Handle Style/ Type: Lever

Spout

Spout Reach: 11-7/16" (291 mm)

Flow Rate

Faucet Flow Rate: 7.5 gpm (28.4 l/min)

Handshower Rated Maximum Flow: 1.75 gpm (6.6 l/min)

Material

- Premium metal construction for durability and reliability
- KOHLER finishes resist corrosion and tarnishing


Recommended Products/Accessories

- K-23723 Faucet cleaner
- K-27427 Robe hook
- K-27426 24" towel bar
- K-27429 Pivoting toilet paper holder
- K-27425 18" towel bar
- K-27428 Towel ring

Required Products/Accessories

- K-97339 Mounting block for select floor-mount bath fillers





Installation

- Floor-mount

Installation Notes

Install this product according to the installation instructions.

